SS-XGR6/XGR60

SERVICE MANUAL

Ver 1.0 2002.02

PHOTO : SS-XGR6

US Model
SS-XGR6
E Model
SS-XGR60

This set is the speaker system in LBT-XGR6/XGR60.

SPECIFICATIONS

SS-XGR6	
Speaker system	3-way BUILT IN SW, bass-reflex type
Speaker units	
Super Woofer/Woofer:	17 cm/17 cm, cone type
Tweeter:	2.5 cm, horn type
Rated impedance	6 ohms
Dimensions (w/h/d)	Approx. 255 x 530 x 330 mm
Mass	Approx. 9.0 kg net per speaker

SS-XGR60	
Speaker system	3-way BUILT IN SW, bass-reflex type, magnetically shielded type
Speaker units	
Super Woofer/Woofer:	17 cm/17 cm, cone type
Tweeter:	2.5 cm, horn type
Rated impedance	6 ohms
Dimensions (w/h/d)	Approx. 255 x 530 x 375 mm
Mass	Approx. 10.0 kg net per speaker

SPEAKER SYSTEM

9-873-568-01
2002B0200-1
© 2002.02

Sony Corporation
Home Audio Company
Published by Sony Engineering Corporation

SONY®

EXPLODED VIEW AND PARTS LIST

NOTE:
- Items marked "*" are not stocked since they are seldom required for routine service. Some delay should be anticipated when ordering these items.
- Hardware (# mark) list and accessories and packing materials are given in the last of this parts list.



Ref. No.	Part No.	Description	Remark
1	4-999-101-01	SCREW, HEXAGON HOLE TAPPING	
2	4-238-050-01	HORN, TW	
3	4-874-614-31	SCREW (1) (3.5X12), TAPPING	
4	4-227-036-01	BRACKET	
5	4-942-029-01	PACKING	
6	X-4954-396-1	PANEL ASSY, FRONT	
SP1	1-529-957-11	SPEAKER (16cm) (XGR60)	
SP1	1-529-959-11	SPEAKER (16cm) (XGR6)	
SP2	1-825-109-11	SPEAKER (2.5cm)	
SP3	1-529-611-11	SPEAKER (16cm) (XGR60)	

Ref. No.	Part No.	Description	Remark
SP3	1-529-657-11	SPEAKER (16cm) (XGR6)	
#1	7-685-661-19	SCREW +BVTP 4X12 TYPE2 N-S	
**********			
		ACCESSORIES	
		**********	
	1-775-512-21	CORD, SPEAKER CONNECTION (1.5m)	
	4-210-254-02	CUSHION (FOOT)	

MEMO

REVISION HISTORY

Clicking the version allows you to jump to the revised page.
Also, clicking the version at the upper right on the revised page allows you to jump to the next revised page.

Ver.	Date	Description of Revision
1.0	2002.02	New